

DPS | DUOPLUS SAICA

High performance fluting / Testliner 1

CEPI code: 58

Characteristics:

- The most resistant double use paper on the market.
- Sized paper.
- Grammages from 19,5 to 23,6 lb/msf.
- Perfect to reduce the number of cardboard compositions and types of paper in stock.
- High performance in compression.
- Suitable for food contact*.

Applications:

- Test liner 1 for outer and inner layers.
- Can be used as fluting.
- The best solution for the most demanding applications.
- Diverse industrial applications.
- E-commerce.
- Frozen goods.

* For contact conditions and/or special instructions, see our Declaration of Conformity.



100% recycled
and recyclable
papers

DPS | DUOPLUS SAICA

High performance fluting / Testliner 1



* For contact conditions and/or special instructions, see our Declaration of Conformity.

target characteristics

TEST	STANDARD	UNIT	DUOPLUS		
Nominal basis weight	ISO 536	lb/msf	19,5	21,5	23,6
Nominal moisture index	On-line	%	8	9	9
CMT 30/50, MD	EN ISO 7263	lbf	36,4	40,2	51,7
SCT, CD	ISO 9895	lbf/in	10,9	12,6	14,3
Bursting strength	EN ISO 2758	psi	36	41	47
COBB-60	EN ISO 535	g/m ²	35	35	35
COBB-1800	EN ISO 535	g/m ²	-	-	-

guaranteed characteristics

TEST	STANDARD	UNIT	DUOPLUS		
Nominal basis weight	ISO 536	lb/msf	19,5	21,5	23,6
Mean basis weight				nominal ± 3%	
Nominal moisture index	On-line	%	8	9	9
Mean moisture index				nominal -1+0,5	
CMT 30/50, MD	EN ISO 7263	lbf	32,1	35,5	44,1
SCT, CD	ISO 9895	lbf/in	9,7	10,9	13,1
Bursting strength	EN ISO 2758	psi	32	37	42
COBB-60	EN ISO 535	g/m ²	50	50	50
COBB-1800 ³	EN ISO 535	g/m ²	-	-	-
Production centre			UK	UK	UK

The index guaranteed values refer to the nominal basis weight.



Access the complete and always updated file.

Valid from May 2025.